| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|--|--------------------|---------------------|---------|------------------|
| Li | 1 | "20040123650".pn. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 12:13 |
| L2 | 1 | I1 and (lubricant\$1 or lubricat\$3 or oil\$1) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 12:13 |
| L3 | 1 | I2 and additive\$1 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:19 |
| L4 | 48 | wollenberg-robert-hin. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:20 |
| L5 | 45 | I4 and (lubricant\$1 or lubricat\$3 or oil\$1) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:20 |
| L6 | 6 | I5 and (combinatorial or library or libraries or throughput) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:23 |
| L7 | 7 | balk-thomas-jin. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:23 |
| L8 | 1 | 17 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:24 |
| L9 | 1 | "6455595".pn. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:26 |
| L10 | 3327 | chevron.as. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:26 |
| L11 | 240020 | combinatorial or library or libraries or throughput | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:27 |
| L12 | 134 | l10 and l11 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:27 |
| L13 | 129038 | combinatorial or library or libraries | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:27 |
| L14 | 11 | l10 and l13 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:31 |
| L15 | 52 | (chevron adj.oronite).as. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:31 |
| L16 | 0 | l15 and l13 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:31 |
| L17 | 7822 | base adj oil\$1 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:31 |
| L18 | 3293 | l17 same additive\$1 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:32 |
| L19 | 5 | l18 same l13 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:32 |
| L20 | 0 | 119 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:32 |
| L21 | 11 | | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:32 |
| L22 | 5 | I21 not I6 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:36 |

Search History 5/10/05 3:37:00 PM Page 1
C:\Documents and Settings\MWallenhorst\My Documents\EAST\workspaces\10699507.wsp

| L23 | 288 | I18 same stability | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:37 |
|-----|---------|--|--------------------|----|-----|------------------|
| L24 | 189 | 123 same (wear or storage or | US-PGPUB: | OR | OFF | 2005/05/10 13:37 |
| | | oxidation or oxidative) | USPAT | | | |
| L25 | 88 | I24 same (sediment\$5 or color\$3 or colour\$3 or viscosity or deposit\$1) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:38 |
| L26 | 0 | I25 same (ir or infrared or calorimetry) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:38 |
| L27 | 1 | l25 same (light or scatter\$3 or opacity) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:39 |
| L28 | 3 | l25 and "436"/\$.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:39 |
| L29 | 1469681 | I25 sane (screen\$3 or test\$3) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:40 |
| L30 | 29 | I25 same (screen\$3 or test\$3) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:40 |
| L31 | 25 | 130 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:53 |
| L32 | 2187 | l18 same (lubricant\$1 or lubricat\$3) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:53 |
| L33 | 167 | I32 same stability | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:53 |
| L34 | 14 | 133 same storage | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:54 |
| L35 | 4 | l34 same (sediment\$5 or color\$3 or colour\$3 or viscosity) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:54 |
| L36 | 1 | 135 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:55 |
| L37 | 125 | (stabilit\$3 and (lubricant\$1 or lubricat\$3 or oil\$1)).ti. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:55 |
| L38 | 25 | 137 and wear | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:55 |
| L39 | 18 | l38 and (oxidation or oxidative) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 13:56 |
| L40 | 7 | l39 and storage | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:03 |
| L41 | 7377 | additive\$1 same wear | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:03 |
| L42 | 1298 | I41 same (oxidation or oxidative) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:04 |
| L43 | 16 | l42 same (storage) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:04 |
| L44 | 5 | l43 same (lubricant\$1 or lubricat\$3 or oil\$1) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:04 |

| L45 | 5 | 144 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:10 |
|-----|--------|---|--------------------|----|-----|------------------|
| L46 | 779272 | lubricant\$1 or lubricat\$3 or oil\$1 | US-PGPUB; USPAT | OR | OFF | 2005/05/10:14:10 |
| L47 | 89326 | l46 same additive\$1 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:10 |
| L48 | 290 | I47 same (storage adj stability) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:10 |
| L49 | 78 | l48 same (sediment\$5 or color\$3 or colour\$3 or viscosity) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:11 |
| L50 | 14 | I49 same temperature | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:11 |
| L51 | 13 | I50 not I6 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:18 |
| L52 | 0 | l49 same (light adj scatter\$3) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:18 |
| L53 | 0 | l49 same scatter\$3 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:18 |
| L54 | 0. | I49 same opacity | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:18 |
| L55 | 2577 | l47 same (stor\$3) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:19 |
| L56 | 539 | l55 same stabil\$3 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:19 |
| L57 | 22 | I56 same sediment\$5 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:19 |
| L58 | 0 | 157 same (scatter\$3 or opacity) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:19 |
| L59 | 2 | I48 same (scatter\$3 or opacity) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:20 |
| L60 | 180 | l47 same (light adj scatter\$3) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:20 |
| L61 | 1 | I60 same (sediment\$5 or deposit\$1) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:22 |
| L62 | 11 | I60 same stabil\$3 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:22 |
| L63 | 11 | 162 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:33 |

| L64 | 73229 | l46 same (antioxidant\$1 or anti-wear or antiwear or detergent\$1 or (rust adj inhibitor\$1) or dehazing or demulsifying or (friction adj modifier\$1) or depressant\$1 or antifoaming or (corrosion adj inhibitor\$1) or corrosion-inhibitor\$1 or dispersant\$1 or (pressure adj agent\$1)) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:35 |
|-----|-------|---|--------------------|----|-----|------------------|
| L65 | 4590 | l64 and l13 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:36 |
| L66 | 39 | 164 same 113 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:36 |
| L67 | 37 | 166 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 14:43 |
| L68 | 1 | "20030100453".pn. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:18 |
| L69 | 1 | "3852207".pn. | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:19 |
| L70 | 2187 | l18 same (lubricant\$1 or lubricat\$3) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:20 |
| L71 | 60 | I70 same (plurality or multipl\$5) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:20 |
| L72 | 48 | I71 same composition\$1 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:20 |
| L73 | 42 | 172 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:26 |
| L74 | 5 | l18 same l13 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:26 |
| L75 | 0 | 174 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:26 |
| L76 | 86 | l18 same (plural\$3 or multiple or multiplicity) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:27 |
| L77 | 17 | I76 same (well\$1 or receptacle\$1 or tube\$1 or vial\$1 or container\$1) | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:27 |
| L78 | 12 | 177 not 16 | US-PGPUB; USPAT | OR | OFF | 2005/05/10 15:27 |

WEST Search History

Hide Items Restore Clear Cancel

DATE: Tuesday, May 10, 2005

| Hide? | <u>Set</u> Name | Query | <u>Hit</u> Count | | |
|--|--------------------|---|---------------------|--|--|
| DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | | | | |
| | L36 | L35 and (multipl\$5 or plural\$3) | 0 | | |
| | L35 | L34 and (storage or oxidation or oxidative or wear) | 43 | | |
| | L34 | L33 and stability | 221 | | |
| | L33 | 111 and screen\$3 | 6062 | | |
| | L32 | 130 and screen\$3 | 0 | | |
| | L31 | L30 and 112 | 0 | | |
| | L30 | L29 and additive\$1 | 1697 | | |
| | L29 | base adj oil\$1 | 8238 | | |
| | L28 | L27 and 112 | 0 | | |
| | L27 | refrigeration adj lubricant\$1 | 32 | | |
| | L26 | L25 and 112 | 3 | | |
| | L25 | (transmission adj fluid\$1) or (hydraulic adj fluid\$1) or (gear adj oil\$1) or (marine adj cylinder) or (marine adj oil\$1) or (compressor adj oil\$1) or (refrigeration adj oil\$1) | 29053 | | |
| | L24 | L23 and 112 | 1 | | |
| | L23 | lubricating adj oil\$1 | 38254 | | |
| | L22 | wo-200207876-\$.did. | 1 | | |
| | L21 | wo-200207870-\$.did. | 1 | | |
| | L20 | wo-0207870-\$.did. | 0 | | |
| | L19 | L18 and (transmission or hydraulic or gear or marine or compressor or refrigeration) | . 0 | | |
| | L18 | 116 not L17 | 40 | | |
| | L17 | L16 and stability | 4 | | |
| | L16 | 114 not L15 | 44 | | |
| | L15 | L14 and additive\$1 | 6 | | |
| | L14 | L13 and screen\$3 | 50 | | |
| | L13 | 111 and L12 | 258 | | |
| | L12 | combinatorial or library or libraries or (high adj throughput) | 36500 | | |
| | L11 | lubricat\$3 or lubricant\$1 or oil\$1 | 771241 | | |
| | L10 | wo-02007870-\$.did. | 0 | | |
| | L9 | wo-2002007870-\$.did. | 0 | | |

L4 L3 not l1

Wollenberg-robert-\$\text{s.in.}\$

L2 wollenberg-robert-h-\$\text{s.in.}\$

L1 wollenberg-robert-h-.in.

END OF SEARCH HISTORY

0

4

0

4

(FILE 'HOME' ENTERED AT 09:12:05 ON 10 MAY 2005) FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 09:12:31 ON 10 MAY 2005 E WOLLENBERG ROBERT H/AU 42 S E3 L15 S L1 AND (THROUGHPUT OR COMBINATORIAL OR LIBRAR?) L2L3 5 DUP REMOV L2 (0 DUPLICATES REMOVED) L4 23 S L1 AND (LUBRICAT? OR LUBRICANT? OR OIL?) 23 DUP REMOV L4 (0 DUPLICATES REMOVED) L5 E BALK THOMAS J/AU 1.6 13 S E1-E4 L7 13 DUP REMOV L6 (0 DUPLICATES REMOVED) 8 S L7 NOT L1 L8 93594 S (LUBRICAT? OR LUBRICANT?) AND OIL? L9 29119 S L9 AND ADDITIVE? L10 458482 S COMBINATORIAL OR HIGH THROUGHPUT OR LIBRARY OR LIBRARIES OR A L11 L12 20 S L10 AND L11 L13 20 DUP REMOV L12 (0 DUPLICATES REMOVED) L1417 S L13 NOT L2 FILE 'STNGUIDE' ENTERED AT 09:35:08 ON 10 MAY 2005 FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 09:40:27 ON 10 MAY 2005 87 S L9 AND L11 L15 67 S L15 NOT L12 L16 L17 67 DUP REMOV L16 (0 DUPLICATES REMOVED) L18 247461 S COMBINATORIAL OR HIGH THROUGHPUT OR LIBRARY OR LIBRARIES L19 37 S L9 AND L18 L20 37 DUP REMOV L19 (0 DUPLICATES REMOVED) L21 32 S L20 NOT L2 L22 67818 S LUBRICATING OIL? L23 29 S L22 AND L18 L24 29 DUP REMOV L23 (0 DUPLICATES REMOVED) 5 S L24 NOT L21 L25 L26 0 S L25 NOT L2 L27 11096 S TRANSMISSION FLUID? OR HYDRAULIC FLUID? OR GEAR OIL? OR MARIN L28 8 S L27 AND L18 L29 8 DUP REMOV L28 (0 DUPLICATES REMOVED) L30 8 S L29 NOT L2 FILE 'STNGUIDE' ENTERED AT 10:14:32 ON 10 MAY 2005 FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 10:15:36 ON 10 MAY 2005 446 S L22 AND SCREEN? L31 L32 10 S L31 AND (ARRAY? OR THROUGHPUT) 10 DUP REMOV L32 (0 DUPLICATES REMOVED) L33 . L34 589 S L9 AND SCREEN? L35 10 S L34 AND (ARRAY? OR THROUGHPUT) L36 0 S L35 NOT L33 L37 83 S L27 AND SCREEN? L38 1 S L37 AND (ARRAY? OR THROUGHPUT) L39 9 S L34 AND (STORAGE STABILITY OR OXIDATION STABILITY OR WEAR ST L40 9 DUP REMOV L39 (0 DUPLICATES REMOVED) FILE 'STNGUIDE' ENTERED AT 10:26:50 ON 10 MAY 2005 FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 10:29:05 ON 10 MAY 2005 L411 S L37 AND (STORAGE STABILITY OR OXIDATION STABILITY OR WEAR ST L42 228 S L9 AND STORAGE STABILITY L43 48 S L42 AND (SEDIMENTATION OR COLOR OR COLOUR OR VISCOSITY) 48 DUP REMOV L43 (0 DUPLICATES REMOVED) L44

| L45 | 0 | S L44 AND (PLURAL? OR MULTIPL?) |
|-----|------|--|
| L46 | 23 | S L44 AND ADDITIVE? |
| L47 | . 3 | S L43 AND (LIGHT OR OPACITY) |
| L48 | 0 | S L43 AND SCATTER? |
| L49 | 291 | S.L9 AND OXIDATION STABILITY |
| L50 | 14 | S L49 AND DEPOSIT? |
| L51 | 14 | DUP REMOV L50 (0 DUPLICATES REMOVED) |
| L52 | 0 | S L51 AND SUBSTRATE? |
| L53 | 1 | S L51 AND (INFRARED OR IR) |
| L54 | 13 | S L51 NOT L53 |
| L55 | 9260 | S BASE OIL? |
| L56 | 4629 | S L55 AND ADDITIVE? |
| L57 | 3 | S L56 AND L18 |
| L58 | 38 | S L56 AND SCREEN? |
| L59 | 5 | S L58 AND (STORAGE STABILITY OR OXIDATION STABILITY OR OXIDATI |
| L60 | 0 | S L49 AND FOURIER TRANSFORM |
| L61 | 13 | S L56 AND FOURIER TRANSFORM |
| L62 | 13 | S L61 AND (INFRARED OR IR) |
| L63 | 4 | S L58 AND (MULTIPL? OR PLURAL?) |
| L64 | 4 | S L56 AND L11 |

.